

**UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY****DIVISION OF RADIATION CONTROL***Short Term Radon Test Results By County And ZIP Code  
as of December 2015***BEAVER**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84713	23.7%	76.3%	0.0	45.1	363
84731	100.0%	0.0%	2.9	2.6	2
84751	64.3%	35.7%	13.1	4.1	14
84752	30.0%	70.0%	15.0	7.5	10
Beaver	25.7%	74.3%	664.0	42.5	389

**BOX ELDER**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84301	100.0%	0.0%	3.7	2.7	3
84302	38.8%	61.2%	81.1	8.2	443
84306	50.0%	50.0%	17.8	6.5	10
84307	100.0%	0.0%	2.8	1.5	4
84309	12.5%	87.5%	38.7	15.8	8
84311	75.0%	25.0%	10.9	4.8	4
84312	66.7%	33.3%	10.4	3.6	24
84314	30.0%	70.0%	11.7	6.5	10
84324	21.9%	78.1%	90.4	14.6	32
84329	100.0%	0.0%	2.7	2.7	1
84330	100.0%	0.0%	0.8	0.8	1
84331	0.0%	100.0%	8.5	8.5	1
84334	75.0%	25.0%	5.0	2.5	4
84337	61.4%	38.6%	24.9	4.1	44
84340	30.4%	69.6%	20.3	6.1	56
Box Elder	40.8%	59.2%	90.4	7.8	645

**CACHE**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84304	50.0%	50.0%	10.6	7.3	2
84305	100.0%	0.0%	0.7	0.7	1
84318	31.9%	68.1%	40.9	7.4	116
84319	48.8%	51.3%	32.0	5.8	80
84320	56.3%	43.8%	14.8	5.8	32
84321	55.7%	44.3%	112.6	6.3	818
84322	85.7%	14.3%	4.9	1.9	7
84323	68.2%	31.8%	19.2	5.4	22
84325	52.0%	48.0%	19.9	4.9	50
84326	34.1%	65.9%	19.6	6.4	41
84327	42.9%	57.1%	10.7	5.6	7
84328	25.0%	75.0%	67.6	11.8	64
84332	35.9%	64.1%	87.0	8.9	281
84333	55.6%	44.4%	18.2	4.7	45
84335	44.9%	55.1%	42.4	6.8	207
84338	100.0%	0.0%	1.7	1.3	4
84339	31.6%	68.4%	152.5	17.3	133
84341	50.0%	50.0%	89.0	6.5	378
Cache	47.5%	52.5%	152.5	7.4	2288

**CARBON**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84501	72.0%	28.0%	280.0	5.8	107
84520	75.0%	25.0%	4.2	2.3	8
84526	88.9%	11.1%	4.3	1.8	18
84529	100.0%	0.0%	1.6	1.6	1
84542	25.0%	75.0%	16.5	8.9	16

Carbon	69.3%	30.7%	280.0	5.4	150
<b>DAGGETT</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84023	100.0%	0.0%	1.0	1.0	1
84046	100.0%	0.0%	3.3	2.2	2
Daggett	100.0%	0.0%	3.3	1.8	3
<b>DAVIS</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84010	57.3%	42.7%	215.0	5.7	967
84011	75.0%	25.0%	9.7	3.4	16
84014	43.0%	57.0%	101.2	7.5	409
84015	91.3%	8.7%	35.9	2.2	379
84016	88.9%	11.1%	6.3	1.7	9
84025	54.6%	45.4%	37.8	5.2	359
84037	81.4%	18.6%	77.2	3.3	467
84040	81.5%	18.5%	24.2	3.1	340
84041	86.5%	13.5%	41.1	2.6	289
84054	80.9%	19.1%	32.5	3.0	199
84056	100.0%	0.0%	2.2	1.3	10
84075	83.2%	16.8%	9.6	2.5	167
84087	62.3%	37.7%	61.7	6.0	199
84089	33.3%	66.7%	7.7	4.6	3
Davis	69.1%	30.9%	215.0	4.4	3813
<b>DUCHESNE</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84001	100.0%	0.0%	0.7	0.7	1
84007	50.0%	50.0%	5.4	3.1	2
84021	68.4%	31.6%	67.7	9.2	19
84027	33.3%	66.7%	31.1	20.8	3
84031	0.0%	100.0%	6.1	6.1	1
84051	100.0%	0.0%	1.6	1.6	1
84052	50.0%	50.0%	39.5	13.6	6
84053	100.0%	0.0%	0.8	0.8	2
84066	72.1%	27.9%	67.9	5.8	61
84072	66.7%	33.3%	5.3	3.6	3
Duchesne	68.7%	31.3%	67.9	7.0	99
<b>EMERY</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84513	25.0%	75.0%	5.8	5.1	4
84518	55.6%	44.4%	7.8	3.7	9
84522	100.0%	0.0%	3.7	2.8	2
84523	60.0%	40.0%	5.7	3.0	5
84525	100.0%	0.0%	3.2	1.7	4
84528	66.7%	33.3%	10.4	3.0	12
Emery	63.9%	36.1%	10.4	3.3	36
<b>GARFIELD</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84712	0.0%	100.0%	7.8	7.8	1
84716	100.0%	0.0%	3.9	2.7	3
84718	100.0%	0.0%	0.8	0.8	1
84726	50.0%	50.0%	13.8	6.3	4
84735	50.0%	50.0%	20.5	7.7	4
84759	47.6%	52.4%	32.1	7.1	21
Garfield	52.9%	47.1%	32.1	6.5	34
<b>GRAND</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84532	86.7%	13.3%	44.5	2.7	113
Grand	86.7%	13.3%	44.5	2.7	113

IRON					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84720	88.0%	12.0%	19.6	2.1	309
84721	74.5%	25.5%	14.8	3.1	106
84742	100.0%	0.0%	2.1	1.6	8
84760	100.0%	0.0%	1.8	1.8	1
84761	72.7%	27.3%	28.3	4.6	11
Iron	84.6%	15.4%	28.3	2.4	435
JUAB					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84628	71.4%	28.6%	6.8	3.5	7
84639	75.0%	25.0%	12.3	4.6	4
84645	35.7%	64.3%	61.0	7.2	42
84648	46.7%	53.3%	18.1	6.2	30
Juab	44.6%	55.4%	61.0	6.4	83
KANE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84710	100.0%	0.0%	1.0	1.0	1
84729	0.0%	100.0%	7.1	7.1	2
84741	68.5%	31.5%	30.8	4.0	54
84758	100.0%	0.0%	3.7	3.7	1
84762	75.0%	25.0%	4.6	2.7	4
Kane	67.7%	32.3%	30.8	4.0	62
MILLARD					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84624	92.3%	7.7%	8.0	2.3	26
84631	70.0%	30.0%	10.0	3.3	20
84635	100.0%	0.0%	2.2	2.0	2
84637	71.4%	28.6%	6.0	3.1	7
84638	0.0%	100.0%	7.3	7.3	1
84640	100.0%	0.0%	1.4	1.4	1
84644	50.0%	50.0%	7.7	5.2	2
84649	100.0%	0.0%	2.9	1.5	4
84656	0.0%	100.0%	9.9	9.9	1
Millard	79.7%	20.3%	10.0	2.9	64
MORGAN					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84018	40.0%	60.0%	200.0	44.2	5
84050	40.9%	59.1%	41.1	6.8	159
Morgan	40.9%	59.1%	200.0	8.0	164
PIUTE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84723	100.0%	0.0%	3.1	1.8	4
84740	100.0%	0.0%	1.8	1.8	1
84750	40.0%	60.0%	23.5	7.2	5
Piute	70.0%	30.0%	23.5	4.5	10
RICH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84028	100.0%	0.0%	3.7	1.8	8
84038	0.0%	100.0%	30.8	11.3	12
84064	72.7%	27.3%	21.2	4.4	11
Rich	51.6%	48.4%	30.8	6.4	31
SALT LAKE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84006	32.5%	67.5%	81.0	15.3	40
84009	76.5%	23.5%	9.5	2.8	17
84020	64.5%	35.5%	83.8	4.6	1073
84044	59.4%	40.6%	20.7	4.2	165

84047	64.6%	35.4%	27.0	4.2	285
84065	42.9%	57.1%	130.3	7.0	774
84070	88.4%	11.6%	152.6	2.1	2527
84081	73.0%	27.0%	46.3	3.8	352
84084	61.3%	38.7%	40.0	4.2	460
84088	52.8%	47.2%	30.7	5.0	449
84090	52.0%	48.0%	65.8	9.7	25
84091	71.4%	28.6%	7.9	2.8	14
84092	54.9%	45.1%	152.0	5.7	1515
84093	42.6%	57.4%	78.2	7.5	1446
84094	68.7%	31.3%	40.7	3.6	527
84095	55.8%	44.2%	99.8	5.1	1491
84096	57.1%	42.9%	89.3	5.7	632
84101	82.6%	17.4%	5.0	2.0	23
84102	67.6%	32.4%	56.9	4.5	259
84103	77.5%	22.5%	70.2	3.6	511
84104	70.9%	29.1%	18.3	3.5	127
84105	62.9%	37.1%	21.3	3.8	801
84106	77.3%	22.7%	42.0	3.1	1945
84107	78.1%	21.9%	31.1	3.1	343
84108	81.0%	19.0%	27.3	2.7	673
84109	64.3%	35.7%	50.1	4.0	802
84110	76.9%	23.1%	22.6	4.0	26
84112	87.5%	12.5%	6.0	1.7	8
84111	64.3%	35.7%	40.6	4.1	126
84114	59.2%	40.8%	54.4	7.3	120
84115	65.4%	34.6%	47.7	3.8	208
84116	76.4%	23.6%	22.6	3.1	199
84117	63.2%	36.8%	38.0	4.4	563
84118	75.5%	24.5%	85.4	3.5	379
84119	74.8%	25.2%	21.4	2.9	274
84120	62.8%	37.2%	140.5	4.3	290
84121	69.4%	30.6%	50.0	3.7	1463
84122	100.0%	0.0%	3.0	2.6	2
84123	72.5%	27.5%	33.5	3.2	454
84124	61.2%	38.8%	43.1	4.5	756
84125	100.0%	0.0%	2.8	2.3	2
84126	0.0%	100.0%	4.3	4.3	1
84127	100.0%	0.0%	3.7	2.8	2
84128	65.2%	34.8%	25.7	4.0	158
84129	67.0%	33.0%	22.0	4.0	106
84130	100.0%	0.0%	1.9	1.1	3
84138	100.0%	0.0%	1.4	1.4	1
84145	0.0%	100.0%	7.4	7.2	2
84147	66.7%	33.3%	7.8	3.4	3
84151	0.0%	100.0%	4.1	4.1	1
84152	70.6%	29.4%	18.4	3.7	17
84157	83.3%	16.7%	5.0	2.5	6
84158	81.3%	18.8%	8.8	2.3	16
84165	50.0%	50.0%	5.2	4.5	2
84170	80.0%	20.0%	10.3	3.1	5
84171	63.3%	36.7%	27.8	5.2	60
84184	0.0%	100.0%	11.6	11.6	1
Salt Lake	66.3%	33.7%	152.6	4.3	22530
<b>SAN JUAN</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84511	88.7%	11.3%	13.5	1.9	133
84512	100.0%	0.0%	0.8	0.8	1

84530	100.0%	0.0%	1.3	1.1	3
84531	100.0%	0.0%	1.3	1.3	1
84533	100.0%	0.0%	0.1	0.1	2
84535	56.8%	43.2%	21.0	4.4	199
San Juan	70.2%	29.8%	21.0	3.3	339
<b>SANPETE</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84621	33.3%	66.7%	9.2	7.3	3
84622	57.1%	42.9%	8.6	4.2	7
84623	50.0%	50.0%	6.1	3.8	2
84627	29.3%	70.7%	22.0	7.4	75
84629	31.0%	69.0%	27.0	8.1	29
84630	33.3%	66.7%	6.3	4.6	3
84632	42.9%	57.1%	21.7	7.0	14
84634	40.7%	59.3%	32.0	7.9	27
84642	56.0%	44.0%	33.7	6.3	25
84643	28.6%	71.4%	8.7	4.4	7
84646	71.4%	28.6%	6.4	3.1	7
84647	64.1%	35.9%	11.1	3.6	39
84662	41.7%	58.3%	9.2	4.3	12
84665	100.0%	0.0%	3.6	1.7	3
84667	25.0%	75.0%	7.6	4.3	4
Sanpete	42.8%	57.2%	33.7	6.2	257
<b>SEVIER</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84620	71.4%	28.6%	4.9	2.7	7
84652	100.0%	0.0%	2.9	1.1	5
84654	70.0%	30.0%	7.9	3.7	10
84657	0.0%	100.0%	7.0	7.0	1
84701	64.4%	35.6%	31.3	4.1	90
84711	40.0%	60.0%	7.4	4.5	5
84724	100.0%	0.0%	2.6	1.8	5
84730	40.0%	60.0%	30.8	10.1	10
84739	33.3%	66.7%	6.3	4.5	3
84754	28.1%	71.9%	101.3	25.5	57
84766	100.0%	0.0%	2.0	1.6	3
Sevier	54.1%	45.9%	101.3	10.4	196
<b>SUMMIT</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84017	66.0%	34.0%	33.0	4.9	47
84024	100.0%	0.0%	0.8	0.8	1
84033	66.7%	33.3%	11.0	3.7	9
84036	52.5%	47.5%	34.0	6.3	61
84055	68.4%	31.6%	16.6	3.8	19
84060	65.3%	34.7%	47.2	4.6	334
84061	30.0%	70.0%	10.8	5.0	10
84068	61.3%	38.8%	43.2	4.9	80
84098	63.6%	36.4%	375.8	6.2	637
Summit	63.3%	36.7%	375.8	5.5	1198
<b>TOOELE</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84022	100.0%	0.0%	3.2	1.8	2
84029	30.1%	69.9%	98.1	10.9	93
84034	66.7%	33.3%	4.8	2.4	3
84069	0.0%	100.0%	7.4	7.4	1
84071	85.7%	14.3%	12.1	2.9	14
84074	59.6%	40.4%	63.0	5.1	806
84083	100.0%	0.0%	3.0	2.7	2

Tooele	57.1%	42.9%	98.1	5.7	921
<b>UINTAH</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84026	100.0%	0.0%	2.9	1.1	4
84035	40.0%	60.0%	31.8	11.9	10
84039	100.0%	0.0%	0.6	0.6	2
84076	0.0%	100.0%	13.4	13.3	2
84078	64.9%	35.1%	32.5	4.3	222
84079	100.0%	0.0%	1.6	1.2	6
84085	60.0%	40.0%	34.7	11.6	5
Uintah	64.9%	35.1%	34.7	4.7	251
<b>UTAH</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84003	45.9%	54.1%	64.0	6.4	962
84004	46.2%	53.8%	77.3	7.8	370
84005	65.1%	34.9%	72.3	3.9	189
84013	100.0%	0.0%	3.8	2.7	3
84042	48.9%	51.1%	45.1	7.1	141
84043	61.4%	38.6%	129.5	4.7	759
84045	65.5%	34.5%	47.8	4.3	284
84057	57.0%	43.0%	358.9	6.1	379
84058	81.8%	18.2%	47.8	2.8	280
84059	83.3%	16.7%	7.7	2.9	12
84062	46.1%	53.9%	54.6	6.3	610
84097	53.4%	46.6%	22.1	4.9	384
84601	72.6%	27.4%	31.4	3.3	223
84602	41.7%	58.3%	24.3	9.8	12
84603	71.4%	28.6%	4.2	2.5	7
84604	53.5%	46.5%	153.9	6.9	688
84605	42.9%	57.1%	9.1	5.0	7
84606	81.8%	18.2%	16.5	2.6	214
84626	100.0%	0.0%	2.3	2.3	1
84633	0.0%	100.0%	4.0	4.0	1
84651	56.5%	43.5%	28.3	4.9	230
84653	43.8%	56.3%	28.6	6.1	112
84655	44.8%	55.2%	41.0	8.0	58
84660	66.0%	34.0%	21.0	3.5	268
84663	52.0%	48.0%	178.2	7.4	433
84664	53.6%	46.4%	62.3	6.4	194
Utah	56.2%	43.8%	358.9	5.6	6821
<b>WASATCH</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84032	29.6%	70.4%	64.9	10.1	558
84049	47.8%	52.2%	95.8	9.2	180
84082	57.1%	42.9%	21.4	7.1	7
Wasatch	34.2%	65.8%	95.8	9.8	745
<b>WASHINGTON</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84722	60.0%	40.0%	15.8	5.9	5
84725	100.0%	0.0%	3.6	1.4	4
84737	86.7%	13.3%	7.1	2.0	30
84738	94.7%	5.3%	4.0	1.7	19
84745	75.0%	25.0%	31.9	5.3	24
84746	84.6%	15.4%	8.0	2.5	13
84757	58.3%	41.7%	14.5	4.7	24
84763	50.0%	50.0%	10.4	5.8	4
84765	96.0%	4.0%	4.6	1.6	25
84767	50.0%	50.0%	4.7	3.2	4

